

Test Results of twelve samples received from The Philippines on 21st October 2004

Your Reference	WRL Reference	Description of Sample	Serotyping Result by ELISA	PCR Result	Remarks
L-3-04 Cabaroanda Vigan Ilochs Sur Region I	PHI 1/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Negative after passage in both BTY* and IB-RS2** cells
L-5-04 Guaga Abattoir Guanga Pampanga Region II	PHI 2/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in IB-RS2 cells
L-10-04 Bimta Abattoir Kamuwing , Quezon City, Metro Manila	PHI 3/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in IB-RS2 cells
L-19-04 Nepumuceno Street Tondo, Metro Manila	PHI 4/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in IB-RS2 cells
L-35-04 Pasil Abattoir Pinagbumatan, Pasib City	PHI 5/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in IB-RS2 cells
L-40-04 Caloocan Abattoir Lapu-Lapu ext. Pagay- Bagatan, Caloocan City	PHI 6/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in IB-RS2 cells
L-45-04 Ayson, Gerona, Tarcas, Region III	PHI 7/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in both BTY and IB-RS2 cells
L-49-04 Hall Abattoir Guigintu, Bulalan, Region III	PHI 8/2004	Porcine epithelium	O	-ve	Direct antigen ELISA negative. Positive after passage in IB-RS2 cells
L-56-04 VR Abattoir Sumulong Mi-way Mayamot, Antipolu, Rizal	PHI 9/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in both BTY and IB-RS2 cells
L-61-04 Labudaizou Abattoir Palsol St. Project 8 Quezon City	PHI 10/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in IB-RS2 cells
L-70-04 Muntinlupa Abattoir Sucat, Muntinlupa, Metro Manila	PHI 11/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in both BTY and IB-RS2 cells
L-80-04 Binan Abattoir Sto Thomas Binan, Laguna, Region IVB	PHI 12/2004	Porcine epithelium	O	+ve	Direct antigen ELISA positive. Positive after passage in both BTY and IB-RS2 cells

* BTY: Primary bovine thyroid cells
** IB-RS-2: Continuous pig kidney cell line