



INSTITUTE FOR ANIMAL HEALTH

Director: Professor C. J. Bostock, PhD

Head of Laboratory:

A. I. Donaldson, MA, MVB, PhD, ScD, MRCVS

Secretary:

A.S. Grice, B.A., A.C.A

PIRBRIGHT LABORATORY

Ash Road, Pirbright

Surrey GU24 0NF

Tel: Worplesdon 01483 232441

Fax: 01483 232448

<http://www.iah.bbsrc.ac.uk>

FAX TRANSMISSION

Please reply to Fax No: +44 (0) 1483 232621

TO: [REDACTED] **FROM:** [REDACTED]
DATE: 22.12.2005 **FAX NO:** [REDACTED]
PAGES: 1 **RE:** Vaccine matching results

Dear [REDACTED]

The following r_1 values were recently obtained by neutralisation test at the FAO World Reference Laboratory for FMD.

	r_1 Values by neutralisation test against vaccine strains below
WRL Ref Number	O Manisa
O MAY 4/05	>1.0
O MAY 6/05	>1.0

In the case of neutralisation, one-way comparative values (" r_1 " values) greater than 0.3 are normally taken to indicate that the field isolate is sufficiently similar to the vaccine strain that use of the vaccine is likely to confer protection against challenge with the field isolate (Rweyemamu, 1984).

Yours sincerely

[REDACTED]
Head: World Reference Laboratory for FMD

Cc: [REDACTED]