

Institute for Animal Health

Registered Office: Compton, Newbury, Berkshire RG20 7NN Telephone: +44 (0) 1635-578411 Facsimile: +44 (0) 1635-577237

e-mail: iah@bbsrc.ac.uk Website: http://www.iah.bbsrc.ac.uk

Director: Professor Martin Shirley PhD

Reply to Pirbright Laboratory Fax: 01483 232621 Direct Dial: 01483 231014 E-mail: chris.chisholm@bbsrc.ac.uk

To:

Fax Number:

From:

15.8.2008 Date:

Subject: Strain Differentiation Results

No. Of Pages:

This message is intended for the use of the person named above and may contain confidential information. Any other distribution, copying or disclosure is strictly prohibited. If you have received this telefax in error, please notify us immediately by telephone or E-mail and then return the original transmission to us by mail.

Thank you.

Dear

Strain differentiation results for serotype SAT2 FMD virus isolate received from Ethiopia on 2nd February 2008.

The following r_1 values were recently obtained by VNT at the WRL.

r ₁ Values by VNT	
	SAT2 Eritrea
SAT2 Eth 2/07	0.15

Yours sincerely

Head: Epidemiology Division

c.c.

A company limited by guarantee, registered in England no. 559784. The Institute is also a registered charity, Charity Commissioners Reference No. 228824 The Institute is sponsored by the Biotechnology and Biological Sciences Research Council. An Associated Institute of the University of Reading.

Fax: 01635-577237

Interpretation of r₁ values

In the case of neutralisation:

 $r_1 = \ge 0.3$. Suggests that there is a close relationship between field isolate and vaccine strain. A potent vaccine containing the vaccine strain is likely to confer protection.

 $r_1 = < 0.3$. Suggests that the field isolate is so different from the vaccine strain that the vaccine is unlikely to protect.

N.B.

All of our phylogenetic trees can be accessed via the internet at:

http://www.iah.bbsrc.ac.uk/primary_index/current_research/virus/Picornaviridae/Aphthovirus/index.htm