




Food and Agriculture  
Organization of the  
United Nations



European Commission for the Control  
of Foot-and-Mouth disease

WOAH/FAO  
Foot-and-Mouth Disease  
Reference Laboratories  
Network



**FMD**

**2026**

**JAN  
FEB  
MAR**

**Quar  
ter  
ly**

**Re  
port**

---

**2026 Foot-and-mouth disease quarterly report**  
**January - February - March**

---

European Commission  
for the Control of  
Foot-and-Mouth Disease

2023-2027 Strategy  
Move FAST  
Get prepared



**Funded by  
the European Union**

For Table 6 (Vaccine matching studies for A FMDV) the results for one vaccine was omitted and the r1 and titre results in the table were incorrectly assigned to each vaccine. The values have been assigned to the correct vaccines and the omitted vaccine added.

For Table 7 (Vaccine matching studies for SAT 1 FMDV) the toptype for sample SAR 2/2025 had been incorrectly entered as I (NWZ). This has now been corrected to II (SEZ), as was correctly reported elsewhere in this report.

We apologise for these mistakes.

All maps within this document were drawn using the United Nations Map (UNMap) v2020, supplied to the authors by FAO or The Global Administrative Unit Layers (GAUL) 2024 produced by the FAO (doi: [10.4060/cd4262en](https://doi.org/10.4060/cd4262en)). The following disclaimers apply to the maps in this document.

*The designations employed and the presentation of material on this map do not imply the expression of any opinion whatsoever on the part of the Secretariat of the United Nations concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.*

**Jammu and Kashmir:** *Dotted line represents approximately the Line of Control in Jammu and Kashmir agreed upon by India and Pakistan. The final status of Jammu and Kashmir has not yet been agreed upon by the parties.*

**Sudan and South Sudan:** *Final boundary between the Republic of Sudan and the Republic of South Sudan has not yet been determined.*

**Abyei:** *Final status of the Abyei area is not yet determined.*

**Falkland Islands (Malvinas):** *A dispute exists between the Governments of Argentina and the United Kingdom of Great Britain and Northern Ireland concerning sovereignty over the Falkland Islands (Malvinas).*

---

Use of data (including all images) from this document

Copies of all the individual reports cited herein can be obtained from WRLFMD ([www.wrlfmd.org](http://www.wrlfmd.org)) and please seek permission before presentation, publication or other public use of these data.

---

# Contents

1.	Highlights and headlines .....	1
2.	General overview .....	2
3.	Summary of FMD outbreaks and intelligence .....	3
3.1.	Overview of reports .....	3
3.2.	Pool 1 (Southeast Asia/Central Asia/East Asia).....	3
3.3.	Pool 2 (South Asia) .....	6
3.4.	Pool 3 (West Eurasia and Near East).....	6
3.5.	Pool 4 (North and Eastern Africa) .....	9
3.6.	Pool 5 (West/Central Africa) .....	10
3.7.	Pool 6 (Southern Africa) .....	11
3.8.	Pool 7 (South America).....	14
3.9.	Europe .....	15
3.10.	Extent of global surveillance .....	16
4.	Detailed analysis .....	19
4.1.	Pool 1 (Southeast Asia/Central Asia/East Asia).....	19
4.2.	Pool 2 (South Asia) .....	21
4.1.	Pool 3 (West Eurasia and Near East).....	22
4.2.	Pool 4 (North and East Africa).....	26
4.3.	Pool 5 (West/Central Africa) .....	31
4.4.	Pool 6 (Southern Africa) .....	36
4.5.	Pool 7 (South America).....	42
4.6.	Vaccine matching .....	42
Annex 1:	Sample data .....	45
	Summary of submissions .....	45
	Clinical samples.....	45
Annex 2:	FMD publications .....	47
Annex 3:	Vaccine recommendations .....	52
Annex 4:	Brief round-up of EuFMD and WRLFMD activities .....	53
	Courses & Training.....	53
	Meetings.....	55

## Abbreviations and acronyms

EuFMD	<a href="#">European Commission for the Control of Foot-and-Mouth Disease</a>
EURL for FMD	<a href="#">European Union Reference laboratory for Foot-and-mouth disease</a>
FAO	<a href="#">Food and Agriculture Organization of the United Nations</a>
FAST reports	foot-and-mouth and similar transboundary animal diseases reports
FMD	foot-and-mouth disease
FMDV	foot-and-mouth disease virus
FMDV GD	foot-and-mouth disease virus genome detected
FMDV NGD	foot-and-mouth disease virus genome not detected
NT	not tested
NVD	no virus detected
NRL	National reference Laboratory
rRT-PCR	real-time reverse transcription polymerase chain reaction
SAT	Southern African Territories
SVD	swine vesicular disease
VI	virus isolation
WAHIS	<a href="#">World Animal Health Information System</a> (of the WOAAH)
WOAH	<a href="#">World Organisation for Animal Health</a>
WRLFMD	<a href="#">World Reference Laboratory for Foot-and-Mouth Disease</a>



## 2. General overview

Endemic Pools comprise separate ecosystems that maintain independently circulating and evolving foot-and-mouth disease virus (FMDV) genotypes. In the absence of specific reports, it should be assumed that the serotypes indicated below are continuously circulating in parts of these pools and would be detected if sufficient surveillance was in place.

POOL	REGION/COUNTRIES	SEROTYPES PRESENT
	<b><u>SOUTHEAST ASIA/CENTRAL ASIA/EAST ASIA</u></b>	
1	Cambodia, China, China (Hong Kong SAR), Taiwan Province of China, Indonesia, Democratic People's Republic of Korea, Republic of Korea, Lao People's Democratic Republic, Malaysia, Mongolia, Myanmar, Russian Federation, Thailand, Viet Nam	A, Asia1 and O
	<b><u>SOUTH ASIA</u></b>	
2	Bangladesh, Bhutan, India, (Mauritius <sup>1</sup> ), Nepal, Sri Lanka	A, Asia1 and O
	<b><u>WEST EURASIA &amp; NEAR EAST</u></b>	
3	Afghanistan, Armenia, Azerbaijan, Bahrain, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Lebanon, Oman, Pakistan, Palestine, Qatar, Saudi Arabia, Syrian Arab Republic, Tajikistan, Türkiye, Turkmenistan, United Arab Emirates, Uzbekistan	A, Asia1 and O (Exotic incursions of SAT1 and SAT2)
	<b><u>EASTERN AFRICA</u></b>	
4	Burundi, Comoros, Djibouti, Egypt <sup>3</sup> , Eritrea, Ethiopia, Kenya, Rwanda, Somalia, South Sudan, Sudan, Uganda, United Republic of Tanzania, Yemen	O, A, SAT1, SAT2 and SAT3
	<b><u>NORTH AFRICA</u><sup>2</sup></b>	
	Algeria, Libya, Morocco, Tunisia	A and O
	<b><u>WEST/CENTRAL AFRICA</u></b>	
5	Benin, Burkina Faso, Cabo Verde, Cameroon, Central African Republic, Chad, Congo, Côte d'Ivoire, Democratic Republic of the Congo, Equatorial Guinea, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Liberia, Mali, Mauritania, Niger, Nigeria, Sao Tome and Principe, Senegal, Sierra Leone, Togo	O, A, SAT1 and SAT2
	<b><u>SOUTHERN AFRICA</u></b>	
6	Angola, Botswana, Malawi, Mozambique, (Mauritius <sup>1</sup> ), Namibia, South Africa, Zambia, Zimbabwe	SAT1, SAT2 and SAT3 (O <sup>4</sup> , A)
	<b><u>SOUTH AMERICA</u></b>	
7	Venezuela (Bolivarian Republic of)	O and A

<sup>1</sup>FMD outbreaks in 2016/21 due to O/ME-SA/Ind-2001 demonstrate close epidemiological links between Pool 2 and Mauritius, while cases due to serotype SAT 3 (reported in 2024) highlight the connectivity to Pool 6.

<sup>2</sup>Long-term maintenance of FMDV lineages has not been documented in the Maghreb countries of North Africa and therefore this region does not constitute an Endemic Pool, but data is segregated here since FMD circulation in this region poses a specific risk to FMD-free countries in Southern Europe.


<sup>3</sup>Egypt represents a crossroads between East African Pool 4 and the Near East (Pool 3).

<sup>4</sup>Detection of O/EA-2 in southern/western Zambia (2018–2021), Namibia (2021), Malawi (2022) and Mozambique (2022) represent a new incursion into Pool 6.

## 3. Summary of FMD outbreaks and intelligence

### 3.1. Overview of reports

The location of information provided in this report can be seen on the map below. More detailed maps and sample data, on a country-by-country basis, can be found in the following sections of this report.




**Figure 1:** Samples tested by WRLFMD or reported in this quarter. ● indicates samples analysed; × indicates outbreaks reported/updated to the WOAH this quarter; □ indicates reports of FMD from other sources. Shape colours define the serotype detected ● O; ● A; ● C; ● Asia1, ● SAT1, ● SAT2, ● SAT3, ● serotype undetermined/not given in the report, ○ FMD not detected.

Source: WRLFMD. Map conforms to the United Nations World map, June 2020.

**Note:** in the sections below, there are references to ProMED posts, where only the title of the post is indicated. ProMED is now a subscription service, so access to these posts may be restricted.

### 3.2. Pool 1 (Southeast Asia/Central Asia/East Asia)


#### The Kingdom of Cambodia



On 20 February there was a report of two outbreaks of **FMD type O** affecting cattle in Cambodia from Phnom Penh and Kâmpóng Chhnang provinces. In each case, two cattle were affected. Disease controls including quarantine, movement controls and vaccination were implemented in response to the outbreak.

WAHIS event ID: [7277](#)

## The People's Republic of China




One **FMD type O** sequence was retrieved from GenBank in March. Phylogenetic analysis determined this sequence to belong to the O/ME-SA/Ind-2001e lineage (see below).

China has implemented measures including the culling of animals, tighter border controls and fast-tracked vaccines after **FMD type SAT 1** was detected for the first time in the country. Herds in Gansu province and the Xinjiang Uyghur Autonomous Region have been affected. Two vaccines targeting SAT 1 have been given emergency veterinary drug approvals and could be available within the month.

Source: [thecattlesite.com](http://thecattlesite.com)

- Foot & mouth disease - China: (Gansu, Xinjiang Uyghur) cattle, serotype SAT1, cull      ProMED posts: [8731948](https://www.promed.com/post/8731948) & [8731967](https://www.promed.com/post/8731967)
- Foot & mouth disease - China (02): (Gansu, Xinjiang) cattle, serotype SAT1, cull, tightened border control

## The Republic of Indonesia



A total of 641 outbreaks (all **FMD type O**) were reported via WAHIS on 23 February 2026. Most of the outbreaks (82%) occurred in Jawa Tengah (n=305) and Jawa Timur (n=220) provinces. Cattle were the most frequently affected species, accounting for 94% of the reported cases; however, cases in buffaloes, goats, sheep and swine have also been reported. Disease controls including quarantine, movement controls and vaccination were implemented in response to the outbreak.

WAHIS event ID: [6310](https://www.wahis.org/event/6310)


In February the Indonesian Ministry of Agriculture announced the allocation of 151,000 doses of FMD to Jawa Barat (West Java) Province, half in January-March and half in July-August, which it considers a priority control area for FMD.

Riau province has also intensified its livestock vaccination campaign in response to the continuing rise of FMD cases.

Source: [voi.id](http://voi.id) & [www.straitstimes.com](http://www.straitstimes.com)

- Foot & mouth disease - Indonesia (02): (East Java) cattle, fatal      ProMED posts: [8731930](https://www.promed.com/post/8731930) &
- Foot & mouth disease - Indonesia: livestock, serotype O, WOAHA      [8731061](https://www.promed.com/post/8731061)

## Malaysia



In January and March 2026, 4 outbreaks of **FMD type O** affecting cattle from Melaka, Perak & Johor states and one outbreak of FMD type O affecting sheep from Perlis state were reported via WAHIS. On 4 March 2026 an outbreak of FMD type A was reported on WAHIS. This outbreak affected 23 cattle from Johor state.

Disease controls including quarantine, movement controls and vaccination were implemented in response to these outbreaks.

WAHIS event IDs: [7184](https://www.wahis.org/event/7184) & [7322](https://www.wahis.org/event/7322)

- Foot & mouth disease - Malaysia (02): cattle, sheep, serotype O, WOAHA      ProMED posts: [8731260](https://www.promed.com/post/8731260) & [8730216](https://www.promed.com/post/8730216)

- 
- Foot & mouth disease - Malaysia: cattle, serotype O, WOAH

### Mongolia



One outbreak of **FMD type O** was reported on 25 March 2026 on WAHIS. The case was diagnosed in a 10-month-old calf (that had received its first dose of vaccination in November). No control measures were applied in response to this case.

WAHIS event ID: [7389](#)

- 
- Foot & mouth disease - Mongolia: (Sühbaatar) sheep, serotype O, WOAH ProMED posts: [8731088](#), [8731745](#)
  - Foot & mouth disease - Mongolia (02): (Sühbaatar) cattle, serotype O, WOAH

### The Republic of Korea



Two **FMD type O** sequences were received on 17th March 2026 from APQA. Phylogenetic analysis determined both of these sequences to belong to the O/ME-SA/Ind-2001e lineage (see below).

A WAHIS report of an **FMD type O** outbreak from Ganghwa, Incheon was posted on WAHIS on 9 February 2026. On 26 February this was updated with second outbreak from Goyang, Gyeonggi-do. In both cases, cattle were the affected species. A wide range of control measures were implemented in response to the outbreaks.

WAHIS event ID: [7249](#)

At the end of January, FMD was reported on a cattle farm in Ganghwa County, Incheon. In response all animals on the farm were culled and a 48-hour movement restriction implemented across Incheon & Giampo city, Gyeonggi Province.

Source: [beaconbio.org](#)

In January and February, two outbreaks of **FMD type O** in domestic Cattle, were reported by the national authorities on the FAO's Empres-i+ system.


Empres-i+ event IDs: [430430](#) & [428342](#)

- 
- Foot & mouth disease - South Korea (05): (Gyeonggi) cattle, cull ProMED posts: [8731014](#),
  - Foot & mouth disease - South Korea (04): (Incheon) cattle, [8730967](#), [8730489](#),  
serotype O, WOAH [8731193](#), [8731199](#),
  - Foot & mouth disease - South Korea: (Incheon, Gyeonggi) [8731623](#), [8730533](#) &  
cattle, emergency quarantine, alert [8730721](#)
  - Foot & mouth disease - South Korea (06): (Gyeonggi) beef  
cattle
  - Foot & mouth disease - South Korea (07): (Gyeonggi) cattle,  
WOAH
  - Foot & mouth disease - South Korea (08): cattle, serotype O,  
WOAH
  - Foot & mouth disease - South Korea (02): (Incheon) cattle,  
culled
-

- 
- Foot & mouth disease - South Korea (03): (Incheon) cattle, serotype O, WOAH
- 


### 3.3. Pool 2 (South Asia)

#### The People's Republic of Bangladesh



A batch of 12 samples was received on 29<sup>th</sup> January 2026. **FMD type O** was identified in 7 of the samples. Phylogenetic analysis placed all of the samples into the Middle East-South Asia (ME-SA) topotype, with 3 of these samples as the Ind-2001e lineage and 4 as the SA-2018 lineage (see below).


#### The Republic of India



- Foot & mouth disease - India: (Tamil Nadu) cattle, mass vaccination ProMED post: [8729878](https://www.promed.com/post/8729878)

### 3.4. Pool 3 (West Eurasia and Near East)

#### Armenia



Passive and active surveillance for FMD is used in Armenia, as well as awareness-raising activities for farmers and the veterinary services. During this quarter, over 162,000 large and small ruminants were vaccinated with a multivalent vaccine (O, A, Asia 1 and SAT 2 serotypes) and more than 66,000 with a SAT 1 vaccine in border areas. A post vaccination serosurvey has been completed and the results are being analysed.

[EuFMD FAST Report](#)

### The Republic of Azerbaijan



A batch of 2 samples was received on 22nd December 2025. Both samples were identified as **FMD type SAT 1** and phylogenetic analysis showed them to belong to the SAT 1/III topotype (see below).

Passive and active surveillance across the country. During this period over 300,000 animals were vaccinated against O, A, Asia-1 and SAT 2 serotypes and over 5 million animals against SAT 1.

[EuFMD FAST Report](#)


### Georgia



Passive surveillance is in use in the country and over 340,000 animals have been vaccinated against FMD this quarter.


[EuFMD FAST Report](#)

### The Islamic Republic of Iran



Five **FMD type SAT 1** sequences were retrieved from GenBank in February. Phylogenetic analysis determined these sequences to belong to the SAT 1/III topotype (see below).

### The Republic of Iraq



47 outbreaks were reported from various governorates this quarter, with an additional 132 outbreaks reported from the Kurdistan region. Passive surveillance has been implemented in the Kurdistan region and data from 15 veterinary hospitals across Iraqi governorates collected. There is currently no vaccination in the country.

[EuFMD FAST Report](#)

•Foot & mouth disease - Iraq: (Erbil) goat, spread

ProMED post: [8730912](#)

### The State of Israel



One **FMD type SAT 1** sequence from a site in The Golan Heights was submitted by the Kimron Veterinary Institute, Israel, for phylogenetic analysis on 20<sup>th</sup> January 2026. Analysis of the sequence determined it to belong to the SAT 1/III topotype (see below).

During this quarter 15 outbreaks of **FMD type SAT 1** have been reported from the Northern, Haifa and Central districts of Israel. As well as 4 outbreaks of **FMD type SAT 1** and 1 outbreak of Untyped FMD from the Golan Heights. Cattle (n=1626), sheep (n=65), goats (n=22) and *Gazella gazella* (n=2) have all been affected. Disease controls including quarantine, movement controls and vaccination were implemented in response to the outbreak.

WAHIS event ID: [7207](#)

During January several cases of **FMD type SAT 1** were reported from the Golan Heights. Control measures, including emergency vaccination, quarantine and movement controls, were immediately implemented. Subsequently further cases of FMD type SAT 1 were

identified from the HaTzafon, HaDarom and Haifa districts, with the control measures being implements at a national level.

Source: [beaconbio.org](http://beaconbio.org)

•Foot & mouth disease - Israel: deer

ProMED post: [8731569](https://www.promed.org/post/8731569)


#### The Hashemite Kingdom of Jordan



Passive surveillance for FMD is established and a pilot initiative for syndromic surveillance for the early detection of FAST diseases is ongoing. Over 850,000 animals have been vaccinated using a vaccine containing serotypes O, A, SAT 2 (and SAT1, introduced later in the vaccine composition)


[EuFMD FAST Report](#)

#### The Lebanese Republic



A batch of 32 samples was received on 19th December 2025. **FMD type SAT 1** was identified in 22 of the samples, FMDV genome was detected in a further 5 samples. Phylogenetic analysis of the SAT 1 samples revealed them to belong to the III toptotype (see below).


#### The Islamic Republic of Pakistan



This quarter 68 outbreaks have been reported from Balochistan, Khyber Pakhtunkhwa, Punjab and Sindh. Passive surveillance and vaccination is in use in these four provinces, with over 176,000 animals were vaccinated in Balochistan, Punjab and Sindh this quarter.

[EuFMD FAST Report](#)

#### The Syrian Arab Republic




Outbreaks of FMD are suspected in several governates (Deir ez-Zor, Aleppo, Hama, Daraa, Homs and Rural Damascus). Passive surveillance is being conducted nationwide, and active surveillance is being conducted in those governorates with suspected FMD outbreaks. Almost 820,000 cattle and 130,000 sheep have been vaccinated this quarter. The vaccine used includes O, A, Asia 1, SAT1 and SAT 2 serotypes.

[EuFMD FAST Report](#)

•Foot & mouth disease - Syria: (Daraa) livestock, spread

ProMED post: [8731371](https://www.promed.org/post/8731371)

#### Türkiye



During this quarter there were 46 outbreaks of FMD (all in the Anatolia region), caused by serotypes O and SAT 1.

There is passive and active surveillance for FMD in the country. Vaccination campaigns this quarter have vaccinated over 15.7 million animals with a pentavalent (O, A, Asia-1, SAT 1 & SAT 2) vaccine


[EuFMD FAST Report](#)

Data on the EU's ADIS summaries reported 20 outbreaks of **FMD type SAT 1** in January, 11 in February and 18 in March. Additionally, two outbreaks for **FMD type O** were also reported in March.

[ADIS](#)

### 3.5. Pool 4 (North and Eastern Africa)

#### The People's Democratic Republic of Algeria



A batch of 14 samples was received on 4<sup>th</sup> February 2026. **FMD type O** was identified in 4 of the samples. All four FMD type O samples belonged to the O/East Africa 3 toptotype after phylogenetic analysis (see below).

Two outbreaks of **FMD type O** were reported via WAHIS on 18 January 2026 updating the outbreak that was first reported in February 2025. The outbreaks affected cattle for Mih Ouansa and El Ogla in El Oued Province in the northwest of the country. Disease controls including quarantine, movement controls and vaccination were implemented in response to the outbreaks.


WAHIS event ID: [6236](#)

Outbreaks from the end of 2025 (FMD type O) have been reported this quarter. Passive surveillance, with active surveillance in high-risk areas, is in use in the country. Vaccination occurs twice a year for cattle (O, A and SAT 2).

[EuFMD FAST Report](#)

Foot & mouth disease - Algeria: (Oum el Bouaghi) cattle, outbreak ProMED post: [8731446](#)

#### The Republic of Burundi



Foot & mouth disease - Burundi: (Burunga) livestock, outbreak

ProMED post: [8731258](#)


#### The Arab Republic of Egypt



Egyptian authorities have reported 1 outbreak of FMD this quarter. During this quarter a clinical survey covering more than 3400 villages and an investigation in over 300 markets have been completed. While vaccination has been achieved for 2.5 million animals this quarter.

[EuFMD FAST Report](#)

#### The Republic of Kenya




A batch of 119 samples was received on 7th November 2025. The following viruses were identified: 16 **FMD type O**, 3 **FMD type A**, 10 **FMD type SAT 1** and 6 **FMD type SAT 2**. FMDV genome was detected in a further 15 samples.

The phylogenetic analysis of these samples revealed that 14 of the FMD type O samples belonged to the O/East Africa 2 toptotype, and 1 to the O/East Africa 3 toptotype. One FMD type A sample belonged to the A/Africa/G-I toptotype/Lineage and 1 to the A/Africa/G-IV toptotype/lineage. Nine FMD type SAT 1 samples were determined to belong to the SAT 1/I (Northwest Zimbabwe) toptotype and 5 fmd type SAT 2 samples to the SAT 2/IV toptotype (see below).

County-wide FMD vaccination campaigns were launched in Kericho and Makueni counties this quarter. The campaigns aim to prevent the spread of the FMD to safeguard animal health and protect farmer's livelihoods.

Sources: [makueni.go.ke](http://makueni.go.ke) & [apanews.net](http://apanews.net)


#### The State of Libya



There is passive surveillance for FMD in the country, which has reported no outbreaks this quarter. This quarter 67,000 animals in the Western region have been vaccinated with a bivalent (O & A) vaccine.

[EuFMD FAST Report](#)


#### The Kingdom of Morocco



Cattle are vaccinated twice a year and small ruminants once a year in high-risk areas using a trivalent (O, A, SAT 2) vaccine. Active and passive surveillance are both in use in the country.

[EuFMD FAST Report](#)


#### The Republic of Tunisia



Animals are vaccinated once a year using a trivalent (O, A, SAT 2) vaccine. The vaccination campaign starting in February also included the SAT 1 serotype due to the increased risk from this serotype. Active and passive surveillance are both in use in the country.

[EuFMD FAST Report](#)

#### The Republic of Uganda




- Foot & mouth disease - Uganda: (Madi-Okollo) livestock, suspected

ProMED post: [8730981](#)

### 3.6. Pool 5 (West/Central Africa)

#### The Republic of Chad



In February, 4 historical outbreaks of **untyped FMD** were reported on WAHIS. This relates to FMD detected in cattle from locations in Hadjer-Lamis province in 2022. Disinfection and surveillance without a restriction zone were put in place in response to the outbreak.

WAHIS event ID: [7304](#)


### The Republic of Ghana



On 16 January a batch of 7 **FMD type O**, 1 **FMD type A** and 3 **FMD type SAT 2** sequences were received from USDA-FADDL for phylogenetic analysis. The FMD type O sequences were determined to all belong to the O/East-Africa-3 (EA-3) lineage, the FMD type A sequence to the A/G-IV lineage and all the FMD type SAT 2 sequences to the SAT 2/V lineage (see below).

Data kindly supplied by: Theophilus Odoom & Sherry Johnson, Ghana; Bonto Faburay & Lizhe Xu, FADDL, USA

### The Federal Republic of Nigeria




On 16 January a batch of 4 **FMD type O** and 1 **FMD type SAT 2** sequences were received USDA-FADDL for phylogenetic analysis. The FMD type O sequences were determined to all belong to the O/East-Africa-3 (EA-3) lineage and the FMD type SAT 2 sequence to the SAT 2/VII lineage (see below).

Data kindly supplied by: David Ehizibolo, Nigeria; Bonto Faburay & Lizhe Xu, FADDL, USA

## 3.7. Pool 6 (Southern Africa)

### The Republic of Botswana



Five **FMD type SAT 1** sequences were received from BVI, Botswana, on 9th February 2026, for phylogenetic analysis. All sequences were determined to belong to the SAT 1/III topotype (see below).

A total of 7 outbreaks of **FMD type SAT 1** were reported this quarter via WAHIS. All the cases, affecting cattle, came from locations in the Masungu area of the North East District. Disease controls including Disinfection, movement controls and vaccination were implemented in response to the outbreak.

WAHIS event IDs: [7240](#)

**FMD type SAT 1** was confirmed in Jakalas village, Masungu area, North-East district at the end of January. Among the Disease restrictions implemented was a ban on the movement of all cloven-hoofed animals (except within Disease Control Zones 2 and 1). A further suspicious case was subsequently identified in disease control Zone 3c (Maitengwe).


Source: [beaconbio.org](https://beaconbio.org)

In early February the Botswanan veterinary authorities confirmed an outbreak of FMD (FMD serotype and number of affected animals not reported) in the Tsamaya Extension Area of the Masungu district.

Source: [english.news.cn](https://english.news.cn)

- Foot & mouth disease - Botswana: (North East) livestock, outbreak confirmed, WOAH ProMED post: [8730557](#)

## The Kingdom of Eswatini



One **FMD type SAT 1** and one **FMD type SAT 2** sequence were received from BVI, Botswana, on 9th February 2026, for phylogenetic analysis. Analysis determined the topotypes of these samples to be SAT 1/III and SAT 2/I respectively (see below).


During this quarter 58 **FMD type SAT 1**, 9 **FMD type SAT 2**, and 4 **Untyped FMD** outbreaks were reported via WAHIS. Other than 5 cases of SAT 2 in swine, all cases were recorded in cattle. The SAT 2 outbreaks were located in Shiselweni Region in the south of the country, where the ruminants are mostly free-range sharing grazing land and water sources. While the SAT 1 and untyped outbreaks were reported from Lubombo, Manzini and Hhohho regions. Disease controls including quarantine, movement controls and vaccination were implemented in response to the outbreaks.

WAHIS event IDs: [6487](#) & [6895](#)

In response to the SAT 1 and SAT 2 outbreaks starting in 2025 extensive vaccination campaigns have been conducted in Eswatini. By February more than 60,000 animals have been vaccinated using a trivalent vaccine.

Source: [beaconbio.org](https://beaconbio.org)

## The Kingdom of Lesotho



During March 2026, 10 outbreaks of FMD from locations across the country were reported via WAHIS. Three of these outbreaks have been serotyped as FMD type SAT 1, the rest are as yet untyped. One outbreak affected a mixed herd of sheep and goats, all the rest affected cattle. In response to the outbreaks various disease control measures have been implemented, including quarantine and tracing.

WAHIS event IDs: [7279](#), [7327](#), [7332](#), [7338](#), [7351](#) & [7380](#)


In late February Lesotho confirmed the country's first ever case of FMD. Over the next month cases of FMD were reported from 5 of 10 districts of Lesotho. Typing, completed in early March, confirmed this as **FMD type SAT 1**. Quarantines, movement controls and surveillance have all been implemented in response to the outbreaks.

Source: [beaconbio.org](https://beaconbio.org)

- 
- Foot & mouth disease - Lesotho: (Butha-Buthe) outbreak declared

ProMED post: [8731104](#)


### The Republic of Mozambique



Over 400 new cases of **FMD type SAT 1** in 4 outbreaks have been reported via WAHIS this quarter. All four outbreaks affected cattle in Maputo province in the south of the country.

WAHIS event IDs: [6880](#), [6974](#)


### The Republic of Namibia



- Foot & mouth disease - Namibia: livestock imports from Botswana restricted

ProMED post: [8731448](#)

### The Republic of South Africa



On 28th January 2026 a batch of 11 samples was received. Testing detected **FMD type SAT 1** in 5 samples, **FMD type 2** in 2 samples, **FMD type SAT 3** in 2 samples and FMD genome was detected in a further 1 sample.

Phylogenetic analysis concluded that the SAT 1 samples belong to the SAT 1/III toptotype, the SAT 2 samples to the SAT 2/I toptotype and the SAT 3 samples to the SAT 3/I toptotype. Sequencing and subsequent

phylogenetic analysis revealed that the sample in which the genome had been detected but no virus could be isolated was FMD type SAT 2, belonged to the SAT 2/I toptotype (see below).

In this quarter, 617 **FMD type SAT 2** outbreaks in cattle were reported in Free State (n=116), Gauteng (n=119), KwaZulu-Natal (n=19), Limpopo (n=43), Mpumalanga (n=83), North West (n=155) Eastern Cape (n=68), Western Cape (n=12) and Northern Cape (n=2) provinces, totalling 12,275 cases via WAHIS. All but 165 of the 12,275 cases (164 swine and 1 goat) were reported in cattle. Additionally, 1 outbreak of **FMD type SAT 1** in swine from Free State Province was reported in early February.

Surveillance for SAT 1 and movement controls and quarantine for in response to both serotypes have been implemented in response.

WAHIS event IDs: [3738](#), [6930](#)

In January and February South Africa reported more than 50 new cases of FMD type SAT 1 from Free State, Limpopo and Eastern Cape provinces. A nationwide vaccination program, targeting a 70% reduction in cases within 2 years, started in February using trivalent (SAT 1-3) vaccines. The campaign aims for 80% to 90% coverage in affected and high-risk cattle populations and mandatory 100% coverage in feedlots and dairy operations.


Source: [beaconbio.org](#)

---

- Foot & mouth disease - South Africa (02): cattle, vaccination campaign
- Foot & mouth disease - South Africa: (Eastern Cape) livestock, alert
- Foot & mouth disease - South Africa (03): (Gauteng) livestock, surge
- Foot & mouth disease, African swine fever - South Africa: pig population involved
- Foot & mouth disease - South Africa (04): spread, local vaccine
- Foot & mouth disease - South Africa (05): outbreak, livestock
- Foot & mouth disease - South Africa (06): vaccine
- Foot & mouth disease - South Africa (07): (Free State) spread, epidemic update
- Foot & mouth disease - South Africa (08): vaccination campaign update

ProMED posts: [8730103](#),  
[8729960](#), [8730400](#),  
[8730353](#), [8730681](#),  
[8730968](#), [8731068](#),  
[8731324](#) & [8731732](#)


### The Republic of Zambia



- Foot & mouth disease - Zambia: borders closed for South African livestock

ProMED post: [8730969](#)

### The Republic of Zimbabwe



On 16 January 2026, a report of two outbreaks of FMD type SAT 1 from Mangewe District, Matabeleland South Province was published. The outbreaks occurred in two villages in close proximity to where a stray buffalo was sighted. The affected cattle share grazing land and water sources. Disease controls including quarantine, movement controls and vaccination were implemented in response to the outbreaks.

WAHIS event IDs: [7192](#)

In mid-January, Zimbabwe reported an outbreak of **FMD type SAT 1** affecting cattle from two villages in Mangwe District, Matabeleland South Province. Border surveillance has been intensified with South Africa following reports of the disease from across South Africa. Additionally imports of live cloven-hoofed animals and related products for South Africa have been banned.

Source: [beaconbio.org](#)

- Foot & mouth disease - Zimbabwe: (Matabeleland South) Botswana border restrictions, alert


ProMED post: [8730236](#)

## 3.8. Pool 7 (South America)

No new outbreaks of FMD were reported in South America.

## 3.9. Europe

### Cyprus



From 21 February 2026, 48 outbreaks of FMD type SAT 1 have been reported via WAHIS. The majority of the outbreaks (45) were reported from Larnaca district, with the remainder from Nicosia District.


Sheep and goats make up the largest group of affected animals (600 cases) in these outbreaks, with cattle (107 cases) also being affected. Disease controls including quarantine, tracing, movement controls and vaccination have been implemented in response to the outbreaks.

WAHIS event IDs: [7280](#)

Since the initial detection of **FMD type SAT 1** on the island of Cyprus further outbreaks have been recorded and, as of the end of March, FMD has been detected on at least 50 farms (including a pig farm). FMD control measures in line with EU directives are being implemented and both Türkiye and the EU have supplied vaccines to help control the outbreak. An interactive map showing sources of infection and protection & surveillance zones is available on a dedicated [official website \(in Greek\)](#).

Source: [beaconbio.org](#)

### Greece



During March 16 outbreaks of **FMD type SAT 1** and one outbreak of **untyped FMD** have been reported via WAHIS from locations on the island of Lesbos, Greece. This is the first outbreaks of FMD here since 1994. The majority of affected animals have been sheep and goats (258 cases) with cattle (n=24 cases) also affected. Disease controls including quarantine, tracing, movement controls and disinfection have been implemented in response to the outbreaks.

WAHIS event IDs: [7379](#)


**FMD type SAT 1** was confirmed in livestock on the island of Lesbos during March. The entire island has been designated a restricted zone under European Union regulations. With movement bans off the island for animals and animal products, quarantine, culling and surveillance.

Source: [beaconbio.org](#)

In March, an outbreak of **FMD type SAT 1** in domestic cattle, mammals & sheep were reported by the national authorities on the FAO's Empres-i+ system.

Empres-i+ event IDs: [37808](#), [37819](#) & [36228](#)

### 3.10. Extent of global surveillance



**Figure 2:** Review of samples received to WOA/FAO FMD laboratories during 2025 from FMD outbreaks (routine surveillance that is undertaken in countries that are FMD-free without vaccination is not shown). (<https://www.foot-and-mouth.org/Ref-Lab-Network/Network-Annual-Meeting>). *NB: Samples collected due to FMD incursions into Germany, Hungary and Slovakia are not shown.*  
Source: WRLFMD. Map conforms to the United Nations World map, June 2020.

In regions where FMD is endemic, continuous evolution of the virus generates geographically discrete lineages that are genetically distinct from FMD viruses found elsewhere. This report displays how different FMD lineages circulate in different regions; these analyses accommodate the latest epidemiological intelligence to assess the relative importance of the viral strains circulating within each region (see Table 1, below).

**Table 1:** Conjectured relative prevalence of circulating FMD viral lineages in each Pool (last updated October 2025). These scores can be used to inform the PRAGMATIST tool (see Annex 3:).

Lineage	South-east / Central / East Asia [Pool 1]	South Asia [Pool 2]	West Eurasia & Near East [Pool 3]	North Africa	Eastern Africa [Pool 4]	West / Central Africa [Pool 5]	Southern Africa [Pool 6]	South America [Pool 7]
O/ME-SA PanAsia-2			25					
O/ME-SA PanAsia	10							
O/SEA Mya-98	15							
O/ME-SA Ind2001	43	21	3	0				
O/ME-SA/SA-2018		61	13					
O/EA or O/WA			1	58	62.5	60	16	
O/EURO-SA						0		90
O/CATHAY	17							
A/ASIA Sea-97	15							
A/ASIA Iran-05	0	0	20					
A/ASIA G-VII		15	0					
A /AFRICA				24	12	15		
A/EURO-SA				2				10
Asia1	0	3	5					
SAT 1			21	4	15	1	8	
SAT 2			12	12	10	24	57	
SAT 3					0.5		19	
C								

Note: For each of the regions, data represent the relative importance of each viral lineage (prevalence score estimated as a percentage [percent] of total FMD cases that occur in domesticated hosts). These scores are reviewed at the annual WOA/FAO FMD reference laboratory network meeting. Changes to increase risks are shown in **red**, while a reduction in risk is shown in **green**.

A number of outbreaks have occurred where samples have not been sent to the WRLFMD or other laboratories in the WOA/FAO FMD Laboratory Network. An up-to-date list and reports of FMD viruses characterised by sequencing can be found at the following website: <http://www.wrlfmd.org/country-reports/country-reports-2026>.

Results from samples or sequences received at WRLFMD (status of samples being tested) are shown in Table 2 and a complete list of clinical sample diagnostics made by the WRLFMD from January - March 2026 is shown in Annex 1: (Summary of submissions). A record of all samples received by WRLFMD is shown in Annex 1: (Clinical samples).

**Table 2:** Status of sequencing of samples or sequences received by the WRLFMD from January - March 2026.

WRLFMD Batch No.	Date received	Country	Total No. samples	Serotype	No. of samples	No. of sequences	Sequencing status
WRLFMD/2025/000017	07/11/2025	Kenya *	119	O	16	15	Finished
				A	3	2	
				SAT 1	10	9	
				SAT 2	6	5	
WRLFMD/2025/000019	19/12/2025	Lebanon	32	SAT 1	22	22	Finished
WRLFMD/2025/000020	22/12/2025	Azerbaijan	2	SAT 1	2	2	Finished
WRLFMD/2026/000001	28/01/2026	South Africa	11	SAT1	5	5	Finished
				SAT2	2	2	
				SAT3	2	2	
				FMDV GD	1	1 †	
WRLFMD/2026/000002	29/01/2026	Bangladesh	12	O	7	7	Finished
WRLFMD/2026/000004	04/02/2026	Algeria	14	O	4	4	Finished
<b>Totals</b>			<b>190</b>		<b>80</b>	<b>76</b>	

\* Detection and serotyping results from Kenya (WRLFMD/2025/000017) were reported last quarter. Sequencing results are now available this quarter.

† SAR 1/2025 was originally reported as FMDV GD, but was successfully sequenced as SAT 2


**Table 3:** VP1 sequences submitted by other FMD laboratories to the WRLFMD from January - March 2026.

WRLFMD Batch No.	Date received	Country	Serotype	Date Collected	No. of sequences	Submitting laboratory
WRLMEG/2026/000001	16/01/2026	Ghana	O	Jul & Aug 2024	7	FADDL, USA
			A	July 2024	1	
			SAT 2	July 2024	3	
WRLMEG/2026/000002	16/01/2026	Nigeria	O	July 2023	4	FADDL, USA
			SAT 2	November 2023	1	
WRLMEG/2026/000003	20/01/2026	Golan Heights	SAT 1	14/01/2026	1	KVI, Israel
WRLMEG/2026/000004	03/02/2026	Iran	SAT 1	unknown	5	GenBank
WRLMEG/2026/000005	09/02/2026	Botswana	SAT 1	unknown	5	BVI, Botswana
WRLMEG/2026/000006	09/02/2026	Eswatini	SAT 1	unknown	1	BVI, Botswana
			SAT 2		1	
WRLMEG/2026/000008	06/03/2026	China	O	2022	1	GenBank
WRLMEG/2026/000009	17/03/2026	Republic of Korea	O	January & February 2026	2	APQA, ROK
<b>Total</b>					<b>32</b>	

# 4. Detailed analysis

## 4.1. Pool 1 (Southeast Asia/Central Asia/East Asia)

<b>The People's Republic of China</b>	
Batch:	WRLMEG/2026/000008
Samples/sequences provided by:	GenBank
Date Received:	6 March 2026
Number Of Samples:	1
O (O/ME-SA/Ind-2001e)	1











# The Islamic Republic of Iran

Batch:

WRLMEG/2026/000004

Samples/sequences provided by:

GenBank

Date Received:


3 February 2026

Number Of Samples:

5

SAT 1 (SAT 1/III (WZ))

5









# The Republic of Kenya

Batch:

WRLFMD/2025/000017

Samples/sequences provided by:

FMD Laboratory Embaksi, Kenya

Date Received:

7 November 2025

Number Of Samples:


2

A (A/AFRICA/G-I)

1

A (A/AFRICA/G-IV)

1








### 4.3. Pool 5 (West/Central Africa)

<b>The Republic of Ghana</b>	
Batch:	WRLMEG/2026/000001
Samples/sequences provided by:	Theophilus Odoom & Sherry Johnson, Ghana; Bonto Faburay & Lizhe Xu, FADDL, USA
Date Received:	16 January 2026
Number Of Samples:	7
O (O/EA-3)	7





# The Republic of Ghana

Batch:

WRLMEG/2026/000001

Samples/sequences provided by:

Theophilus Odoom & Sherry Johnson, Ghana;  
Bonto Faburay & Lizhe Xu, FADDL, USA

Date Received:


16 January 2026

Number Of Samples:

3

SAT 2 (SAT 2/V)

3








## 4.4. Pool 6 (Southern Africa)

The Republic of Botswana	
Batch:	WRLMEG/2026/000005
Samples/sequences provided by:	BVI, Botswana
Date Received:	9 February 2026
Number Of Samples:	5
SAT 1 (SAT 1/III (WZ))	5





# The Kingdom of Eswatini


Batch: WRLMEG/2026/000006

Samples/sequences provided by: BVI, Botswana

Date Received: 9 February 2026

Number Of Samples: 1

SAT 2 (SAT 2/I) 1



The Republic of South Africa

Batch:

WRLFMD/2026/000001

Samples/sequences provided by:

OVI ARC, South Africa

Date Received:

28 January 2026

Number Of Samples:


5

SAT 1 (SAT 1/II (SEZ))

1

SAT 1 (SAT 1/III (WZ))

4



# The Republic of South Africa

Batch:

WRLFMD/2026/000001

Samples/sequences provided by:

OVI ARC, South Africa

Date Received:


28 January 2026

Number Of Samples:

3

SAT 2 (SAT 2/I)

3



# The Republic of South Africa

Batch:

WRLFMD/2026/000001

Samples/sequences provided by:

OVI ARC, South Africa

Date Received:


28 January 2026

Number Of Samples:

2

SAT 3 (SAT 3/I (SEZ))

2



## 4.5. Pool 7 (South America)

No samples/sequences received.

## 4.6. Vaccine matching

Antigenic characterisation of FMD field isolates by matching with vaccine strains by 2dmVNT from January - March 2026.

### NOTES:

1. Vaccine efficacy is influenced by vaccine potency, antigenic match and vaccination regime. Therefore, it is possible that a less than perfect antigenic match of a particular antigen may be compensated by using a high potency vaccine and by administering more than one vaccine dose at suitable intervals. Thus, a vaccine with a weak antigenic match to a field isolate, as determined by serology, may nevertheless afford some protection if it is of sufficiently high potency and is administered under a regime to maximise host antibody responses (Brehm, 2008<sup>1</sup>).
2. Vaccine matching data generated in this report only considers antibody responses in cattle after a single vaccination (typically 21 days after vaccination). The long-term performance of FMD vaccines after a second or multiple doses of vaccine should be monitored using post-vaccination serological testing.

Table 4: Summary of samples tested by vaccine matching.

Serotype	O	A	C	Asia 1	SAT 1	SAT 2	SAT 3
Azerbaijan	-	-	-	-	2	-	-
Egypt	-	8	-	-	1	-	-
Ethiopia	20	16	-	-	-	3	-
Lebanon	-	-	-	-	3	-	-
South Africa	-	-	-	-	15	8	4
<b>Total</b>	<b>20</b>	<b>24</b>	<b>0</b>	<b>0</b>	<b>21</b>	<b>11</b>	<b>4</b>

### Abbreviations used in tables

For each field isolate the  $r_1$  value is shown followed by the heterologous neutralisation titre ( $r_1$ -value / titre). The  $r_1$  values shown below, represent the one-way serological match between vaccine strain and field isolate, calculated from the comparative reactivity of antisera raised against the vaccine in question. Heterologous neutralisation titres for vaccine sera with the field isolates are included as an indicator of cross-protection.

<sup>1</sup> Brehm, *et al.* (2008). High potency vaccines induce protection against heterologous challenge with foot-and-mouth disease virus. *Vaccine*, 26(13):1681-7. doi: [10.1016/j.vaccine.2008.01.038](https://doi.org/10.1016/j.vaccine.2008.01.038).

M	<b>Vaccine Match</b> $r_1 = \geq 0.3$ - suggests that there is a close antigenic relationship between field isolate and vaccine strain. A potent vaccine containing the vaccine strain is likely to confer protection.
N	<b>No Vaccine Match</b> $r_1 < 0.3$ - suggest that the field isolate is antigenically different to the vaccine strain. Where there is no alternative, the use of this vaccine should carefully consider vaccine potency, the possibility to use additional booster doses and monitoring of vaccinated animals for heterologous responses.
NT	<b>Not tested against this vaccine</b>

NOTE: A “0” in the neutralisation columns indicates that for that particular field virus no neutralisation was observed at a virus dose of a 100 TCID<sub>50</sub>.

NOTE: This report includes the source of the vaccine virus and bovine vaccinal serum. Vaccines from different manufactures may perform differently and caution should be taken when comparing the data.

Table 5: Vaccine matching studies for O FMDV

Serotype O			O 3039 Boehringer Ingelheim		O <sub>1</sub> Campos Biogénesis Bagó		O Manisa Boehringer Ingelheim		PanAsia 2 Boehringer Ingelheim		O/TUR/5/09 MSD	
Isolate	Topotype	Lineage	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre
ETH/2/2025	O	EA-2	0.91	2.01	0.54	2.43	0.55	2.24	0.49	2.22	0.55	2.09
ETH/20/2025	O	EA-2	0.67	1.88	0.58	2.46	0.54	2.23	0.33	2.05	0.52	2.06
ETH/15/2024	O	EA-3	0.41	1.66	0.47	2.37	0.26	1.91	0.21	1.87	0.72	2.21
ETH/8/2025	O	EA-3	0.77	1.93	0.43	2.36	0.98	2.37	0.57	2.23	0.80	2.19

Table 6: Vaccine matching studies for A FMDV

Serotype A			A Eritrea 98 Boehringer Ingelheim		A GVII 2015 Boehringer Ingelheim		A Iran 05 Boehringer Ingelheim		A Saudi 95 Boehringer Ingelheim		A/TUR/20/06 MSD Animal Health		A22 Iraq Boehringer Ingelheim		A2001 Argentina Biogénesis Bagó		A24 Cruzeiro Biogénesis Bagó	
Isolate	Topotype	Lineage	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre	r <sub>1</sub>	titre
EGY/1/2025	AFRICA	G-IV	0.46	2.16	0.07	0.75	0.27	1.93	0.28	1.85	0.10	1.55	0.33	1.99	0.31	2.56	0.17	2.17
ETH/15/2025	AFRICA	G-IV	0.38	2.35	0.00	0	0.10	1.50	0.09	1.51	0.15	1.56	0.06	1.33	0.48	2.68	0.44	2.51
ETH/39/2024	AFRICA	G-IV	0.32	2.27	0.00	0	0.07	1.36	0.10	1.54	0.00	0	0.07	1.39	0.49	2.69	0.48	2.55

Table 7: Vaccine matching studies for SAT 1 FMDV

Isolate	Serotype SAT 1		SAT1 2020 <i>Biogénesis Bagó</i>		SAT1 IRQ 2025 <i>Dollvet</i>		SAT1 Rho78 <i>Boehringer Ingelheim</i>		SAT1/BOT 1/1977 <i>Dollvet</i>		SAT1/HWANGE/ 1994 <i>Dollvet</i>	
	Topotype	Lineage	$r_1$	titre	$r_1$	titre	$r_1$	titre	$r_1$	titre	$r_1$	titre
EGY/3/2025	I (NWZ)	-					0.33	2.14				
SAR 2/2025	II (SEZ)	-	0.26	2.03	0.09	1.81	0.34	2.19	0.19	1.91	0.16	2.39
AZB/1/2025	III (WZ)	-					0.60	2.34				
AZB/2/2025	III (WZ)	-					0.51	2.27				
LEB 10/2025	III (WZ)	-					0.40	2.16				
LEB 8/2025	III (WZ)	-					0.64	2.37				
LEB 9/2025	III (WZ)	-					0.40	2.16				
SAR 6/2025	III (WZ)	-	0.10	1.62	0.34	2.39	0.38	2.24	0.38	2.20	0.07	2.06
SAR 8/2025	III (WZ)	-	0.08	1.51	0.26	2.27	0.38	2.24	0.32	2.13	0.08	2.09

Table 8: Vaccine matching studies for SAT 2 FMDV

Isolate	Serotype SAT 2		SAT2 Zim 83 <i>Boehringer Ingelheim</i>		SAT2 Eritrea 98 <i>Boehringer Ingelheim</i>		SAT2 Oman 2015 <i>Biogénesis Bagó</i>		SAT2 ERI/12/1998 <i>Dollvet</i>		SAT2 IRQ 2023 <i>Dollvet</i>	
	Topotype	Lineage	$r_1$	titre	$r_1$	titre	$r_1$	titre	$r_1$	titre	$r_1$	titre
SAR 3/2024	I	-	0.53	2.62	0.77	2.09	0.4	2.4	0.71	2.71	0.17	1.94
SAR 4/2025	I	-	0.36	2.51	1.00	2.25	0.33	2.33	0.76	2.60	0.23	1.93
ETH/10/2024	XIV	-	0.39	2.13	1	1.84	0.42	2.39				

Table 9: Vaccine matching studies for SAT 3 FMDV

Isolate	Serotype SAT 3		SAT 2017 <i>Biogenesis Bago</i>		SAT3/ZAM 9/2018, <i>Dollvet</i>	
	Topotype	Lineage	$r_1$	titre	$r_1$	titre
SAR 1/2024	I (SEZ)	-	0.60	2.37	0.76	2.56
SAR 2/2024	I (SEZ)	-	0.49	2.28	0.44	2.25

NB: Results for the SAT3 Zim 83 vaccine (BI) are not reported here and new representative sera is being identified to complete this testing

# Annex 1: Sample data

## Summary of submissions

Table 10: Summary of samples collected and received to WRLFMD January - March 2026

Country	N <sup>o</sup> of samples	Virus isolation in cell culture/ELISA									
		FMD virus serotypes							No Virus Detected	RT-PCR for FMD	
		O	A	C	SAT 1	SAT 2	SAT 3	ASIA1		Positive	Negative
Algeria	14 **	4	-	-	-	-	-	-	8	4	10
Azerbaijan	2	-	-	-	-	2	-	-	-	2	0
Bangladesh	12	7	-	-	-	-	-	-	5	8	4
Lebanon	32 *	-	-	-	22	-	-	-	9	26	6
South Africa	11	-	-	-	5	2	2	2	-	10	1
<b>TOTAL</b>	<b>71</b>	<b>11</b>	<b>0</b>	<b>0</b>	<b>27</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>22</b>	<b>50</b>	<b>21</b>

\* One sample not tested by virus isolation in cell culture/ELISA

\*\* Two sample not tested by virus isolation in cell culture/ELISA

## Clinical samples

Table 11: Clinical sample diagnostics made by the WRLFMD January - March 2026

Country	Date		WRL for FMD Sample Identification	Animal	Date of Collection	VI/ELISA	Results	
	Received	Reported					RT-PCR	Final report
Lebanon	19 Dec 2025	21 Jan 2026	LEB 1/2025	CATTLE	20 Nov 2025	NVD	FMDV GD	FMDV GD
			LEB 2/2025	CATTLE	20 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 3/2025	CATTLE	20 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 4/2025	CATTLE	20 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 5/2025	CATTLE	20 Nov 2025	NVD	NGD	NVD
			LEB 6/2025	CATTLE	20 Nov 2025	NVD	NGD	NVD
			LEB 7/2025	CATTLE	27 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 8/2025	CATTLE	27 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 9/2025	CATTLE	27 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 10/2025	CATTLE	27 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 11/2025	CATTLE	27 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 12/2025	CATTLE	27 Nov 2025	NVD	FMDV GD	FMDV GD
			LEB 13/2025	CATTLE	27 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 14/2025	CATTLE	28 Nov 2025	NVD	NGD	NVD
			LEB 15/2025	CATTLE	28 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 16/2025	CATTLE	28 Nov 2025	SAT1	NGD	SAT1
			LEB 17/2025	CATTLE	28 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 18/2025	CATTLE	28 Nov 2025	SAT1	FMDV GD	SAT1
			LEB 19/2025	CATTLE	28 Nov 2025	NVD	NGD	NVD
			LEB 20/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1

			LEB 21/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1
			LEB 22/2025	CATTLE	05 Dec 2025	NVD	FMDV GD	FMDV GD
			LEB 23/2025	CATTLE	05 Dec 2025	NVD	FMDV GD	FMDV GD
			LEB 24/2025	CATTLE	05 Dec 2025	NVD	FMDV GD	FMDV GD
			LEB 25/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1
			LEB 26/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1
			LEB 27/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1
			LEB 28/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1
			LEB 29/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1
			LEB 30/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1
			LEB 31/2025	CATTLE	05 Dec 2025	SAT1	FMDV GD	SAT1
			LEB 32/2025	CATTLE	08 Dec 2025	Not Tested	NGD	Not Tested
Azerbaijan	22 Dec 2025	08 Jan 2026	AZB 1/2025	CATTLE	27 Oct 2025	SAT1	FMDV GD	SAT1
			AZB 2/2025	CATTLE	27 Oct 2025	SAT1	FMDV GD	SAT1
			SAR 1/2024	CATTLE	30 Apr 2024	SAT3	FMDV GD	SAT3
			SAR 2/2024	CATTLE	12 Jun 2024	SAT3	FMDV GD	SAT3
			SAR 3/2024	CATTLE	11 Nov 2024	SAT2	FMDV GD	SAT2
			SAR 1/2025	CATTLE	16 Jul 2025	NVD	FMDV GD	FMDV GD
South Africa	28 Jan 2026	13 Feb 2026	SAR 2/2025	CATTLE	22 Sep 2025	SAT1	FMDV GD	SAT1
			SAR 3/2025	CATTLE	04 Nov 2025	SAT1	FMDV GD	SAT1
			SAR 4/2025	CATTLE	07 Nov 2025	SAT2	FMDV GD	SAT2
			SAR 5/2025	CATTLE	21 Nov 2025	NVD	NGD	NVD
			SAR 6/2025	PIG	01 Dec 2025	SAT1	FMDV GD	SAT1
			SAR 7/2025	CATTLE	08 Dec 2025	SAT1	FMDV GD	SAT1
			SAR 8/2025	CATTLE	09 Dec 2025	SAT1	FMDV GD	SAT1
			BAN 1/2025	CATTLE	28 Aug 2025	NVD	NGD	NVD
			BAN 2/2025	CATTLE	28 Aug 2025	O	FMDV GD	O
			BAN 3/2025	CATTLE	28 Aug 2025	O	FMDV GD	O
			BAN 4/2025	CATTLE	02 Sep 2025	O	FMDV GD	O
			BAN 5/2025	CATTLE	02 Sep 2025	NVD	NGD	NVD
Bangladesh	29 Jan 2026	23 Feb 2026	BAN 6/2025	CATTLE	02 Sep 2025	O	FMDV GD	O
			BAN 7/2025	CATTLE	11 Sep 2025	NVD	FMDV GD	FMDV GD
			BAN 8/2025	CATTLE	11 Sep 2025	O	FMDV GD	O
			BAN 9/2025	CATTLE	11 Sep 2025	O	FMDV GD	O
			BAN 10/2025	CATTLE	28 Sep 2025	NVD	NGD	NVD
			BAN 11/2025	CATTLE	28 Sep 2025	O	NGD	O
			BAN 12/2025	CATTLE	28 Sep 2025	NVD	FMDV GD	FMDV GD
			ALG 1/2025	CATTLE	01 Dec 2025	NVD	NGD	NVD
			ALG 2/2025	CATTLE	01 Dec 2025	Not Tested	NGD	Not Tested
			ALG 3/2025	CATTLE	01 Dec 2025	NVD	NGD	NVD
			ALG 4/2025	CATTLE	01 Dec 2025	NVD	NGD	NVD
			ALG 5/2025	CATTLE	01 Dec 2025	NVD	NGD	NVD
			ALG 6/2025	CATTLE	01 Dec 2025	O	FMDV GD	O
Algeria	04 Feb 2026	18 Feb 2026	ALG 7/2025	CATTLE	01 Dec 2025	NVD	NGD	NVD
			ALG 8/2025	CATTLE	01 Dec 2025	NVD	NGD	NVD
			ALG 9/2025	CATTLE	02 Dec 2025	O	FMDV GD	O
			ALG 10/2025	CATTLE	02 Dec 2025	O	FMDV GD	O
			ALG 11/2025	CATTLE	02 Dec 2025	NVD	NGD	NVD
			ALG 12/2025	CATTLE	02 Dec 2025	Not Tested	NGD	Not Tested
			ALG 13/2025	CATTLE	02 Dec 2025	O	FMDV GD	O
			ALG 14/2025	SHEEP	02 Dec 2025	NVD	NGD	NVD
<b>Total</b>			<b>71</b>					

## Annex 2: FMD publications

Recent FMD Publications January - March 2026 cited by Web of Science.

1. Abousenna, M.S. (2026). Current situation and emerging *Foot-and-mouth disease virus* lineages in Egypt: Historic SAT1 Introduction, and Vaccine Policy Implications. *Veterinary Immunology and Immunopathology*, **292**: 7. DOI: [10.1016/j.vetimm.2026.111063](https://doi.org/10.1016/j.vetimm.2026.111063).
2. Ahmed, M.J., M.I. Hossain, M.A. Rahman, M.I.H. Bhuiyan, P. Bhandari, K.E. Alam, R. Chalise, I.J. Kaderi, M.A.I. Rahi, T. Tarin, M.J. Alam, R.O. Adesola, and D. Hossain (2026). Prevalence and serotype distribution of *Foot and mouth disease (FMD) virus* in Asian countries: a systematic review and meta-analysis. *Veterinary Medicine International*, **2026**(1): 21. DOI: [10.1155/vmi/5492291](https://doi.org/10.1155/vmi/5492291).
3. Al-Ebshahy, E., M. Aboelkhair, S. Amer, A. Salama, M. Aboelezz, R. Abbas, H. Hamza, O.M. Abas, and E.B. Ata (2025). A study for molecular detection of co-circulated multiple FMDV serotypes in some Egyptian governorates. *Egyptian Journal of Veterinary Science*, **56**(13): 1577-1586. DOI: [10.21608/ejvs.2024.337086.2501](https://doi.org/10.21608/ejvs.2024.337086.2501).
4. Al-Mustapha, A.I., V. Adetunji, O.A. Ogundijo, I.A. Odetokun, L. Oyafajo, H.W. Abali, M. Oyewo, A.T. Abubakar, S.O. Muhammad, D.A. Adetunji, A. Odukoya, A. Haruna, F. Bamidele, N. Elelu, and F.O. Fasina (2025). Animal Disease Burden in Nigeria, 2006-2023. *Transboundary and Emerging Diseases*, **2025**(1): 14. DOI: [10.1155/tbed/1694850](https://doi.org/10.1155/tbed/1694850).
5. Ali, O.A.A., Y.A. Ammar, M.S. Abusaif, and A. Ragab (2026). Thiazole tethered adamantane derivatives as potential FMDV inhibitors: Design, synthesis, antiviral activity, and molecular modeling simulations. *Journal of Molecular Structure*, **1357**: 14. DOI: [10.1016/j.molstruc.2025.145229](https://doi.org/10.1016/j.molstruc.2025.145229).
6. Attreed, S.E., C. Silva, M. Rodriguez-Calzada, R.D. Heimroth, M. Oldakowski, C. Stenfeldt, P. Azzinaro, E. Spinard, A. Mogulothu, S. Mueller, B. Taillon, J. Arzt, E. Rieder, T. de los Santos, F. Díaz-San Segundo, and G.N. Medina (2026). Live-attenuated *Foot-and-mouth disease virus* vaccine engineered by codon deoptimization induces a strong protective immune response in cattle. *NPJ Vaccines*, **11**(1): 13. DOI: [10.1038/s41541-025-01368-7](https://doi.org/10.1038/s41541-025-01368-7).
7. Barbuceanu, F., V. Vuta, D. Hristescu, S. Baraitareanu, and C. Diaconu (2025). Transmission routes and environmental persistence of *Foot-and-mouth disease virus* (FMDV): an overview. *Revista Romana De Medicina Veterinara*, **35**(4): 186-190.
8. Brahma, D., K. Sharma, N.N. Barman, P. Deka, B. Borah, B.M. Buragohain, R. Ahmed, and R. Hazarika (2026). Comparing typing methods for *Foot-and-mouth disease virus* serotypes: sandwich ELISA, multiplex PCR, rt-LAMP and SYBR green real-time PCR. *Indian Journal of Animal Research*, **60**(1): 84-91. DOI: [10.18805/ijar.B-5417](https://doi.org/10.18805/ijar.B-5417).
9. Chang, Y.M., D. Li, J.J. Zhao, H.N. Zhao, X.Y. Xu, L. Han, F.F. Zhao, J.F. Geng, C. Fu, J.H. Wei, W.X. Zhao, J.W. Wang, Y.L. Guo, and M.C. Gao (2026). Development and evaluation of immunoglobulin-binding-proteins based ELISA for serological diagnosis of *Foot-and-mouth disease virus* in domestic animals. *International Journal of Biological Macromolecules*, **339**: 10. DOI: [10.1016/j.ijbiomac.2025.149649](https://doi.org/10.1016/j.ijbiomac.2025.149649).
10. Das, R., S.H. Sahid, A. Al Islam, and J. Noor (2026). Cattle Savior: Prototyping a mobile application for non-invasive cattle disease detection in Bangladesh. *Smart Agricultural Technology*, **13**: 20. DOI: [10.1016/j.atech.2026.101893](https://doi.org/10.1016/j.atech.2026.101893).
11. Elrashedy, A., M. Nayel, A. Salama, A. Zaghawa, A. Badr, and M.E. Hasan (2025). Phylogenetic and evolutionary analysis of VP1 coding sequences of *Foot-and-mouth disease virus* serotypes A, O, and SAT2 in Egypt. *Virology Journal*, **23**(1): 19. DOI: [10.1186/s12985-025-03039-4](https://doi.org/10.1186/s12985-025-03039-4).
12. Febrianto, N., M. Helmi, P. Akhiroh, R.K. Pratami, M.N. Shamsudin, N.N. Ramli, and B. Hartono (2025). Multidimensional sustainability assessment of smallholder dairy cattle

- farming systems post-foot-and-mouth disease outbreak in East Java, Indonesia: a Rapdairry approach. *Open Agriculture*, **10**(1): 16. DOI: [10.1515/opag-2025-0484](https://doi.org/10.1515/opag-2025-0484).
13. Girault, G., A. Romey, C. Bernelin-Cottet, L.B. Kassimi, and S. Blaise-Boisseau (2025). Re-emergence of Foot-and-Mouth Disease in Europe in 2025: impact and future prospects. *Virologie*, **29**(6): 393-396. DOI: [10.1684/vir.2025.1113](https://doi.org/10.1684/vir.2025.1113).
  14. Girault, G., A. Romey, C. Bernelin-Cottet, L.B. Kassimi, S. Zientara, and S. Blaise-Boisseau (2025). Re-emergence of Foot-and-Mouth Disease in Europe in 2025: impact and future prospects. *Virologie*, **29**(6): 73-76. DOI: [10.1684/vir.2025.1116](https://doi.org/10.1684/vir.2025.1116).
  15. Gleason, A., I. Impalli, J. Sheen, A.C. Murillo, B.T. Grenfell, S.A. Levin, T.P. Van Boeckel, and R. Laxminarayan (2025). Global vaccination coverage and disease incidence in cattle, pigs, and poultry. *Proceedings of the National Academy of Sciences of the United States of America*, **122**(52): 12. DOI: [10.1073/pnas.2515557122](https://doi.org/10.1073/pnas.2515557122).
  16. Gray, A. (2025). Contaminated animal products likely cause of FMD. *Veterinary Record*, **196**(9): 1. DOI: [10.1002/vetr.5508](https://doi.org/10.1002/vetr.5508).
  17. Hanthorn, C.J. and M.W. Sanderson (2026). Foot-and-mouth disease biosecurity and risk mitigation in auction markets: a scoping review. *Frontiers in Veterinary Science*, **12**: 9. DOI: [10.3389/fvets.2025.1659240](https://doi.org/10.3389/fvets.2025.1659240).
  18. Huang, S.L., S.Q. Wu, F.J. Li, P.H. Li, P. Sun, Y.M. Cao, H.F. Bao, K.H. Dong, J.X. Yang, H.H. Zhang, Q.Q. Zhao, Y. Sun, D. Li, X.W. Bai, Y.F. Fu, H. Yuan, X.Q. Ma, Z.X. Zhao, J. Zhang, J. Wang, Z.X. Liu, Y. Peng, K. Li, J.L. Hua, Z.J. Lu, D.S. Lei, and Q. Zhang (2026). Porcine B cell receptor repertoire uncovers balanced recognition of antigenic structures on serotype Asia1 *Foot-and-mouth disease virus*. *PLoS Pathogens*, **22**(2): 26. DOI: [10.1371/journal.ppat.1013893](https://doi.org/10.1371/journal.ppat.1013893).
  19. Kang, H., S. Ryoo, D. Lim, T.Y. Eom, J.M. Kim, J. Kim, S.C. Badhy, M. Sadekuzzaman, S. Akter, A. Di Nardo, D.P. King, M.G.A. Chowdhury, and S.H. Cha (2025). Molecular characterisation of foot-and-mouth disease viruses collected from Bangladesh during 2021-23: evidence for trans-pool spread of exotic viral lineages. *Veterinary Research*, **57**(1): 10. DOI: [10.1186/s13567-025-01655-0](https://doi.org/10.1186/s13567-025-01655-0).
  20. Kim, H.W., S.H. Park, M.K. Ko, S. Shin, J.H. Park, and M.J. Lee (2026). Oral  $\beta$ -D-glucan potentiates systemic immune responses to intramuscular foot-and-mouth disease vaccination. *Frontiers in Veterinary Science*, **12**: 11. DOI: [10.3389/fvets.2025.1701909](https://doi.org/10.3389/fvets.2025.1701909).
  21. Kim, H.W., S.H. Park, M.K. Ko, S. Shin, J.H. Park, and M.J. Lee (2026). Mucosal stimulation with d-galacto-d-mannan enhances systemic immunity elicited by the foot-and-mouth disease vaccine. *Pakistan Veterinary Journal*, **46**(1): 130-138. DOI: [10.29261/pakvetj/2025.321](https://doi.org/10.29261/pakvetj/2025.321).
  22. Kim, Y.J., D.W. Kim, M.K. Ko, D. Kim, S.Y. Lee, Y. Kim, Y. Chae, T.J. Kim, H. Kim, M.J. Lee, S.H. Park, J. Kim, J.H. Park, J.H. Hwang, and Y.H. Lee (2026). Evaluation of the protective efficacy of foot-and-mouth disease vaccines against O/Cathay topotype virus in pigs. *Microorganisms*, **14**(1): 10. DOI: [10.3390/microorganisms14010186](https://doi.org/10.3390/microorganisms14010186).
  23. Kristanto, D., N.T. Ramadhani, B.S. Ayu, R. Anna, O.M. Kusumawardhani, A.R. Riadini, T. Widyaputri, D. Prasetyo, S. Khairunissa, and W.A. Septian (2026). Evaluation of acute phase protein, cardiac marker, and antioxidant enzymes in Madura Cattle infected with foot-and-mouth disease. *Open Veterinary Journal*, **16**(2): 824-833. DOI: [10.5455/OVJ.2026.v16.i2.6](https://doi.org/10.5455/OVJ.2026.v16.i2.6).
  24. Li, Y.L., Z.J. Guo, Y. Zhang, L. Luo, C.S. He, Q.Q. Xia, J.Y. Zhang, Z.D. Zhang, and Y.M. Li (2026). FMDV VP3 induces IL-10 expression in porcine macrophages via PI3K interaction and PI3K/AKT-mTOR pathway activation. *Viruses-Basel*, **18**(1): 11. DOI: [10.3390/v18010066](https://doi.org/10.3390/v18010066).
  25. Litz, B., F. Pfaff, L.F. Forth, S. Hägglund, J.F. Valarcher, M. Beer, and M. Eschbaumer (2026). Persistent *Foot-and-mouth disease virus* infection of the bovine nasopharynx is associated with suppression of innate and cellular immunity. *PLoS One*, **21**(1): 24. DOI: [10.1371/journal.pone.0340425](https://doi.org/10.1371/journal.pone.0340425).

26. Liu, H.Y., M.M. Mehdi, L.X. Jiang, Y.F. Liu, Y.Q. Ma, Z.D. Teng, B. Liang, H.C. Guo, and S.Q. Sun (2026). Optimization of untranslated regions enhances antigen expression and immunogenicity of FMDV P12A3C mRNA vaccine. *Virology Journal*, **23**(1): 12. DOI: [10.1186/s12985-025-03059-0](https://doi.org/10.1186/s12985-025-03059-0).
27. Maulana, F.K., N.S. Said, Z. Dinana, D.U. Fahrodi, J. Rahmahani, Y. Puspitasari, S. Kuncorojakti, H. Susilowati, D. Diyanoro, M. Maryono, and F.A. Rantam (2025). Optimizing formaldehyde and binary ethylenimine combinations for inactivation of *Foot-and-mouth disease virus* GR12: insights from Indonesia's third outbreak for local vaccine development. *Veterinary World*, **18**(9): 2798-2810. DOI: [10.14202/vetworld.2025.2798-2810](https://doi.org/10.14202/vetworld.2025.2798-2810).
28. Mohapatra, J.K., B. Das, S. Subramaniam, S.S. Dahiya, M. Rout, B.R. Prusty, and R.P. Singh (2026). Full genome-based evolutionary analyses of FMD virus serotype A including field outbreak strains isolated from India during the period 2008-22. *Virus Evolution*, **12**(1): 10. DOI: [10.1093/ve/veaf097](https://doi.org/10.1093/ve/veaf097).
29. Moreno-Torres, K.I., M.W. Sanderson, C. Rigney, M. Schoenbaum, A. Delgado, J. Arzt, and J.L.H. Stamm (2026). A stochastic framework to assess the optimal allocation of limited vaccine doses in foot-and-mouth disease outbreaks using game theory. *Frontiers in Veterinary Science*, **13**: 21. DOI: [10.3389/fvets.2026.1681056](https://doi.org/10.3389/fvets.2026.1681056).
30. Ng'oga, M.J. and J.Z. Ndendya (2026). A Caputo fractional-order model for Foot-and-mouth disease with environmental transmission and intervention strategies. *Microbe*, **10**: 17. DOI: [10.1016/j.microb.2026.100672](https://doi.org/10.1016/j.microb.2026.100672).
31. Obaido, G., E. Esenogho, and C. Modisane (2026). An unsupervised machine learning analysis of stakeholder opinions on foot-and-mouth disease control in South Africa. *Discover Applied Sciences*, **8**(4): 21. DOI: [10.1007/s42452-026-08359-w](https://doi.org/10.1007/s42452-026-08359-w).
32. Ono, S. and H. Shimamoto (2026). Development of foot-and-mouth disease quarantine planning model considering the impact of disinfection points on the actual network. *Asian Transport Studies*, **12**: 12. DOI: [10.1016/j.eastsj.2026.100181](https://doi.org/10.1016/j.eastsj.2026.100181).
33. Özyörük, F., Ü. Parlak, C. Çokçaliskan, S. Grazioli, and Y. Akça (2026). Development of a native-antigen Western blot using ZZ-R 127-derived FMDV non-structural proteins for qualitative serology to inform DIVA workflows. *Journal of Virological Methods*, **342**: 8. DOI: [10.1016/j.jviromet.2026.115362](https://doi.org/10.1016/j.jviromet.2026.115362).
34. Quintela, I.A., R. Lopez-Magaña, A. Hwang, T. Vasse, and V.C.H. Wu (2026). Aptamer-linked immobilized sorbent assay for detection of VP1 of *Foot-and-mouth disease virus* serotype O. *Scientific Reports*, **16**(1): 10. DOI: [10.1038/s41598-025-34793-8](https://doi.org/10.1038/s41598-025-34793-8).
35. Rahman, M.M. and T.L. Marsh (2026). Causal analysis of trade loss from pathogens: A global study of foot-and-mouth disease impacts on meat exports. *American Journal of Agricultural Economics*: 32. DOI: [10.1002/ajae.70045](https://doi.org/10.1002/ajae.70045).
36. Rout, M., L.K. Pandey, B.R. Prusty, J.K. Mohapatra, and R.P. Singh (2026). Optimization and evaluation of 3AB3 indirect ELISA for detection of *Foot-and-mouth disease virus* nonstructural protein antibodies in sheep. *Virology*, **619**: 6. DOI: [10.1016/j.virol.2026.110873](https://doi.org/10.1016/j.virol.2026.110873).
37. Sajid, M., M.A. Syed, A. Kabir, A.A. Kamboh, and M.M. Khan (2026). Molecular characterization and vaccine matching of *Foot-and-mouth disease virus* in Khyber Pakhtunkhwa, Pakistan. *Molecular Biology Reports*, **53**(1): 10. DOI: [10.1007/s11033-026-11520-8](https://doi.org/10.1007/s11033-026-11520-8).
38. Sala, J.M., M. Wilda, M.C. Miraglia, M. Castillo, D.M. Pérez-Filgueira, T. Freire, and A.V. Capozzo (2025). Field evidence of *Fasciola hepatica*-mediated modulation of antibody responses to foot-and-mouth disease vaccination in buffaloes. *Vaccines*, **14**(1): 9. DOI: [10.3390/vaccines14010036](https://doi.org/10.3390/vaccines14010036).
39. Sethi, M., N. Kumar, T.K. Mohanty, N. Shah, and D.K. Yadav (2025). Curcumin and vitamin E in combination improves scrotal temperature and semen traits in FMD-vaccinated Murrah bulls. *Journal of Livestock Science*, **16**(4): 740-749. DOI: [10.33259/JLivestSci.2025.740-749](https://doi.org/10.33259/JLivestSci.2025.740-749).

40. Sevik, M. and F.F. Öztürk (2026). Evaluation of antibody response induced by an oil-adjuvanted inactivated bivalent *Foot-and-mouth disease virus* vaccine in cattle. *Veterinarski Arhiv*, **96**(1): 11-20. DOI: [10.24099/vet.arhiv.2677](https://doi.org/10.24099/vet.arhiv.2677).
41. Shanmuganathan, S., S. Dubey, R.H. Sayee, V. Bhanuprakash, S.K. Gollapalli, S. Gopinath, S. Basagoudanavar, B.P. Sreenivasa, J.K. Biswal, and M. Hosamani (2026). Demonstration of antigenic site 3 in *Foot-and-mouth disease virus* serotype A using neutralizing monoclonal antibody resistant mutants. *Microbial Pathogenesis*, **211**: 5. DOI: [10.1016/j.micpath.2025.108265](https://doi.org/10.1016/j.micpath.2025.108265).
42. Steele, S., Y. Yupiana, I. Permatasari, R.V. Ekowati, D.K. Nugroho, A. Wiethoelter, M. Edwards, S. Yulianti, Nurhayati, Ermawanto, T.D. Utami, R.M.B. Butar, H.P. Kurniawan, A.T. Muljono, C.D.P. Sari, G.A. Andre, S. Alya, J. Weaver, C. Pfeiffer, Dahlanudin, Hultatang, Muslih, M. Riadi, M. Stevenson, and S. Idris (2026). The use of participatory modelling to inform management of endemic foot-and-mouth disease: A case study from Nusa Tenggara Barat, Indonesia. *Preventive Veterinary Medicine*, **250**: 14. DOI: [10.1016/j.prevetmed.2026.106802](https://doi.org/10.1016/j.prevetmed.2026.106802).
43. Stenfeldt, C., J.M. Humphreys, and J. Arzt (2026). Incubation phase transmission of *Foot-and-mouth disease virus* in cattle: experimental evidence and simulated impacts. *Scientific Reports*, **16**(1): 19. DOI: [10.1038/s41598-025-34132-x](https://doi.org/10.1038/s41598-025-34132-x).
44. Takatsuka, K., S. Usuzaki, H. Uamaba, K. Aburata, and N. Okazaki (2026). Development of an infection risk assessment index based on the 2010 foot-and-mouth disease outbreak in Miyazaki Prefecture and its application to disease control support. *Kagaku Kogaku Ronbunshu*, **52**(1): 15-20. DOI: [10.1252/kakoronbunshu.52.15](https://doi.org/10.1252/kakoronbunshu.52.15).
45. Tarigan, R., D.W. Lukman, H. Latif, and H. Pisestyani (2025). Hematological and mineral alterations associated with subclinical mastitis in dairy cattle following the foot-and-mouth disease outbreak in West Java, Indonesia. *Veterinary World*, **18**(9): 2723-2732. DOI: [10.14202/vetworld.2025.2723-2732](https://doi.org/10.14202/vetworld.2025.2723-2732).
46. Verma, A.K., A. Kumar, S. Upadhyay, Afroz, V. Jaiswal, and A. Singh (2025). Epidemiological studies on foot-and-mouth disease in western Uttar Pradesh, India. *Indian Journal of Animal Sciences*, **95**(7): 575-579. DOI: [10.56093/ijans.v95i7.164647](https://doi.org/10.56093/ijans.v95i7.164647).
47. Voskanyan, H., L. Simonyan, N. Shahazizyan, M. Mirzoyan, J. Simonyan, and T. Markosyan (2025). Foot-and-mouth disease in Armenia (1958-2003): Historical epidemiology, serotype dynamics, and evolving vaccination strategies. *Veterinary World*, **18**(9): 2650-2662. DOI: [10.14202/vetworld.2025.2650-2662](https://doi.org/10.14202/vetworld.2025.2650-2662).
48. Voskanyan, H.E., T.H. Markosyan, J.T. Simonyan, M.S. Mirzoyan, N.A. Shahazizyan, L.M. Minasyan, S.A. Kharatyan, and L.L. Simonyan (2025). Evaluation of applied foot-and-mouth disease-providing measures in the Republic of Armenia: A retrospective study. *Open Veterinary Journal*, **15**(11): 5894-5902. DOI: [10.5455/OVJ.2025.v15.i11.44](https://doi.org/10.5455/OVJ.2025.v15.i11.44).
49. Wada, M., J.H. Han, B. Purevsuren, K. Rinzin, A. Sutar, R. Abila, and S. Subharat (2025). Probability of freedom from foot-and-mouth disease virus serotype Asia-1 in Southeast Asia, China and Mongolia. *Preventive Veterinary Medicine*, **244**: 10. DOI: [10.1016/j.prevetmed.2025.106663](https://doi.org/10.1016/j.prevetmed.2025.106663).
50. Wang, S., Z.H. Zhang, S.M. Wei, G.L. Huang, S.H. Yin, S.Y. Mu, H. Dong, S.Q. Sun, and H.C. Guo (2025). Integrated multiomics reveals host-virus coadaptation in persistent *Foot-and-mouth disease virus* infection. *Cellular and Molecular Life Sciences*, **83**(1): 18. DOI: [10.1007/s00018-025-05997-y](https://doi.org/10.1007/s00018-025-05997-y).
51. Wu, J.E., S.W. Abdullah, P.H. Li, X.F. Wang, M. Ren, Y.Y. Huang, X.L. Guo, S.Q. Sun, and H.C. Guo (2026). RNA helicase DDX5 regulates the translation and genomic replication of *Foot-and-mouth disease virus*. *Journal of Virology*: 24. DOI: [10.1128/jvi.01731-25](https://doi.org/10.1128/jvi.01731-25).
52. Wubshet, A.K., Y.Z. Ding, L.Y. Zhou, Y. Wang, J.F. Dai, Q. Li, G.X. Li, N. Solomon, J.J. He, X.P. Yin, C. Bayasgalan, U. Temuujiin, L.J. Guo, Y.J. Sun, A. Bsrat, W.X. Wang, N. Tang, A.D. Zaberezhny, L. Heath, Y.F. Sun, Y.S. Liu, B. Gebrekidan, and J. Zhang (2026). Development of

- baculovirus-derived bovine parvovirus VP2 based chimeric virus-like particles co-displaying SAT2 FMDV VP1 B-and T-cell epitopes and evaluation of humoral and cellular immune responses in BALB/c mice. *Virology*, **617**: 14. DOI: [10.1016/j.virol.2026.110812](https://doi.org/10.1016/j.virol.2026.110812).
53. Zafir, A., A. Abdullah, S. Saad, R.M.A. Hamad, and S. Bufarwa (2025). Interpretation of risk factors of foot-and-mouth disease in the East of Libya. *Open Veterinary Journal*, **15**(11): 6118-6125. DOI: [10.5455/OVJ.2025.v15.i11.70](https://doi.org/10.5455/OVJ.2025.v15.i11.70).
54. Zhang, Z.H., Z.D. Teng, S. Wang, S.Y. Mu, S.M. Wei, H. Dong, S.H. Yin, Y. Zhang, Y.Z. Ding, Y.J. Li, S.Q. Sun, and H.C. Guo (2025). Distinctive immunological signatures define *Foot-and-mouth disease virus* persistence in vaccinated cattle. *Transboundary and Emerging Diseases*, **2025**(1): 13. DOI: [10.1155/tbed/4010309](https://doi.org/10.1155/tbed/4010309).
55. Zhang, Z.H., Z.D. Teng, S.H. Yin, S.Y. Mu, S.M. Wei, Y.Z. Ding, Y. Zhang, S. Wang, Y.J. Li, S.Q. Sun, and H.C. Guo (2026). The whole genome sequencing offers insights into the susceptibility to the *Foot-and-mouth disease virus* carrier state. *Veterinary Research*, **57**(1): 13. DOI: [10.1186/s13567-025-01697-4](https://doi.org/10.1186/s13567-025-01697-4).



# Annex 4: Brief round-up of EuFMD and WRLFMD activities

## Courses & Training

- The [EuFMD's open-access Courses](#) provide convenient self-paced training which you may study anytime, anywhere, free of charge:
  - [Ask the Experts webinars](#); The EuFMD has held a number of events covering Foot-and-mouth disease and lumpy skin disease as “Ask the Experts” interactive webinar. These one-hour webinars provide an overview about a range of topics that help you enhance your skills in Foot-and-Mouth Disease and lumpy skin disease preparedness, including biosecurity, outbreak investigation, surveillance, vaccination and post-vaccination.
  - [Introduction to Foot-and-Mouth Disease](#) (*also available in [French](#), [German](#), [Italian](#) and [Turkish](#)*); This course introduces foot-and-mouth disease (FMD), its importance, diagnosis, outbreak investigation and the control measures that might apply in a previously free country experiencing an outbreak. This course is suitable for all of those with an interest in FMD control. No prior knowledge of FMD is required.
  - [Introduction to Lumpy Skin Disease](#) (*also available in [French](#)*); This short module introduces lumpy skin disease, its distribution, impacts, aetiology, diagnosis epidemiology and control options. This course is suitable for all of those with an interest in LSD, in affected countries or those at-risk.
  - [Introduction to Rift Valley Fever](#) (*also available in [French](#)*); This course introduces the diagnosis, prevention and control of RVF, and is suitable for those based in countries that are either endemic or at-risk. The course is designed to be easy to study on a smartphone.

This course is suitable for anybody who would like to know more about RVF. It will be of particular interest to field veterinarians (public and private) and veterinary paraprofessionals who are working in countries that are either endemic or at high risk of RVF. No prior knowledge of RVF is required.
  - [Introduction to sheep pox and goat pox](#); This short, open-access and self-directed course aims to provide an overview of sheep pox and goat pox, recognise or suspect the disease in the field, identify the correct samples to collect and the relevant control measures.
  - [What is the Progressive Control Pathway?](#) (*also available in [Arabic](#)*); This short e-learning module provides an overview of the Progressive Control Pathway for Foot-and-Mouth Disease (PCP-FMD), the tool used to FMD control under the GF-TADs Global Strategy.

This course is suitable for all of those with an interest in FMD control in countries which are not free of the disease and is a good introduction for those new to the PCP-FMD.
  - [Introduction to the Risk Assessment Plan](#) (*also available in [French](#)*); This course is part of a series of self-directed online courses that aim to support progress on the

Progressive Control Pathway for Foot-and-Mouth Disease (PCP-FMD).

The Risk Assessment Plan describes how the country intends to embark on the PCP-FMD and gain an understanding of the epidemiology of FMD in the country. Ultimately, the country will use that knowledge to develop a risk-based plan to reduce the impact of FMD (Risk-Based Strategic Plan).

This course will be of interest to anyone who is involved in control of FMD in countries which are not currently free of the disease. It is particularly aimed at veterinarians who are working with countries in PCP-FMD Stage Zero and beginning the process of developing a RAP.

- [Introduction to the Risk-Based Strategic Plan](#); This course introduces the Risk-Based Strategic Plan (RBSP). The RBSP describes how a country will reduce the impact of FMD in at least one husbandry sector or geographical area. The RBSP applies the outputs and knowledge gained through the implementation of the activities in PCP-FMD Stage One. An accepted RBSP is required for countries to be recognized as in PCP-FMD Stage Two.

This course will be of interest to anyone who is involved in control of FMD in countries which are not currently free of the disease. It is particularly aimed at veterinarians who are working with countries in PCP-FMD Stage One, and beginning the process of developing an RBSP.

- [Introduction to the Official Control Programme](#); This course is part of a series of self-directed online courses that aim to support progress on the Progressive Control Pathway for Foot-and-Mouth Disease (PCP-FMD).

The OCP describes how the country will eliminate virus circulation of FMD in at least one zone of the country, to mitigate the risks of FMD to the point where an application to WOA for official recognition of freedom from FMD may be successful and suitable. Completion of the OCP is the indicator outcome for entry into PCP-FMD Stage 3, as defined in the PCP-FMD guidelines.

This course will be of interest to anyone who is involved in control of FMD in countries which are not currently free of the disease. It is particularly aimed at veterinarians who are working with countries in PCP-FMD Stage Two and beginning the process of developing an OCP.

- [Simulation Exercises for Animal Disease Emergencies](#); The Simulation Exercise for Animal Disease Emergencies online training course introduces simulation exercises as part of preparedness for animal disease emergencies and explains the processes involved in planning, conducting and evaluating simulation exercises. It also describes the various tools, approaches and strategies to support decision-making, as well as the different phases of an exercise.

This course is designed for a range of stakeholders with an interest in learning about animal health emergency preparedness and planning.

- [Introduction to the FMD Minimum Biorisk Management Standards](#); This course aims to provide an overview of the Minimum Biorisk Management Standards for foot-and-mouth disease laboratories (MBRMS), explaining the scope and the risks associated with the standards.

This course is directed to National Competent Authorities, Institute directors for FMD facilities and biorisk managers in FMD free countries in the European region to ensure they are aware of the importance and implications of their role in ensuring that laboratories handling infectious FMD virus (Tier D) and performing FMD diagnostic

tests without handling infectious FMD virus (Tier C) adhere to the FMD Minimum Biorisk Management Standards.

- [Introduction to Animal Health Surveillance](#); This short, open access and self-directed course aims to provide an overview of the importance and key activities of animal health surveillance. It also forms the basis for further, in-depth courses on passive surveillance.
- [Introduction to the socioeconomics of foot-and-mouth and similar transboundary animal diseases](#); This course aims to introduce non-expert learners to the fundamental concepts required to understand the socioeconomic analysis of animal disease. It also forms the basis for further, in-depth training on socioeconomic impact assessment and practical cost-benefit analysis of FMD and similar transboundary animal diseases.
- [Diagnosis of foot-and-mouth disease \(FMD\) : Instructor-led](#); WRLFMD, Pirbright, UK – 11-22 May 2026  
This course has been specifically designed for laboratory staff who are responsible for implementing FMDV diagnostic techniques in the laboratory. This course is not suitable for research or group leaders who are not based in the laboratory. The course is designed and taught by subject matter experts within the World Reference Laboratory for FMD. The course will include a combination of hands-on practical sessions, demonstrations, lectures, and eLearning.
- [Real time training \(RTC6\)](#); Naivasha, Kenya – 8-11 June 2026.  
This is a four-day intensive course which allows to see foot-and-mouth in an endemic country, discuss with farmers, peers and expert trainers. The course is preceded by a six-hour virtual Learning induction course. It can give you the unique opportunity to visit farms with suspected FMD cases and carry out clinical and epidemiological investigations in real time.
- [Progressive Control Pathway for foot-and-mouth disease \(PCP-FMD\) workshop](#); Naivasha, Kenya – 12-13 June 2026.

## Meetings

- [Joint Permanent Committee \(JPC\) meeting](#); WOAHA HQ, Paris France – 19 May 2026.
- [Standing Technical Committee \(STC\) - online meeting](#); Online - 25 June 2026.
- [Standing Technical Committee of the EuFMD - STC+](#); Bari Italy – 21-23 October 2026
- [108<sup>th</sup> Session of the Executive Committee \(EuFMD\)](#); FAO HQ, Rome, Italy – 28 October 2026.
- [47<sup>th</sup> General Session of the EuFMD](#); FAO HQ, Rome, Italy – 5-6 May 2027.  
The Commission's Member Nations meet in General Session every two years – most of the delegates are the Chief Veterinary Officers of their respective countries. At the General Session, the Member Nations review the activities of the previous biennium, agree a work plan and budget for the next biennium and elect an Executive Committee and a Standing Technical Committee.

## Other sources of information from EuFMD

- EuFMD webpages (<https://www.fao.org/eufmd/>).
- EuFMD has a constantly updated series of short podcasts relating to the FAST world (<http://www.fao.org/eufmd/resources/podcasts/>).

- EuFMD Emergency Toolbox (<https://www.fao.org/eufmd/resources/emergency-toolbox/en/>) listing all open-access resources concerning FAST diseases, available in multiple languages.
- Leaflets for the purpose of raising awareness of FMD in the Thrace region. Available in Arabic, Bosnian, Bulgarian, English, Greek and Montenegrin, Portuguese, Serbian and Turkish (<https://www.fao.org/publications/card/en/c/CB4903EN>).
- Join the EuFMD WhatsApp channel to receive EuFMD updates (<https://whatsapp.com/channel/0029VaHkPku2Jl8DJFVFcw3r>).



FAO four betters. Better life, better environment, better nutrition, better production.

## EuFMD's programme, tools and initiatives

---

### **FAST**

Foot-and-mouth And Similar Transboundary animal diseases

### **Dt**

EuFMD digital transformation

---

### **Tom**

EuFMD training management system

### **Microlearning**

EuFMD micro learning

### **Vlearning**

EuFMD virtual learning

---

### **SimExOn**

Simulation exercises online

---

### **Get prepared**

Emergency preparedness toolbox

### **Risk Comms**

EuFMD risk communications

### **RMT-FAST**

Risk monitoring tool for foot-and-mouth and similar transboundary animal diseases

---

### **Pragmatist**

Prioritization of antigen management with international surveillance tool

### **EuFMDiS**

European foot-and-mouth disease spread model

---

### **Vademos**

FMD vaccine demand estimation model

### **GVS**

Global vaccine security

### **PQv**

Vaccine prequalification

---

### **PCP**

Progressive control pathway

### **PSO**

Pcp practitioner officers

### **PPP**

Public private partnership

---

# PROTECT RESPOND CONTROL

## MOVE FAST

FAST, Foot-and-mouth  
And Similar Transboundary  
animal diseases.



## EuFMD structure

Secretariat, Executive Committee, Standing Technical Committee (STC), Special Committee on Risk Monitoring, Integrated Surveillance and Applied Research (SCRISAR), Special Committee on Biorisk Management (SCBRM), Regional Groups for FAST Coordination, Standing Committee on Prequalification of Vaccines against FAST diseases (SCPQv), Steering Committee TOM (SCTOM).

## EuFMD Secretariat

Animal Production and Health Division,  
(NSA) / European Commission for the  
Control of Foot-and-Mouth Disease  
(EuFMD)

[eufmd@fao.org](mailto:eufmd@fao.org)

[fao.eufmd.org](http://fao.eufmd.org)

[eufmdlearning.works](http://eufmdlearning.works)

[eufmd-tom.com](http://eufmd-tom.com)

Food and Agriculture Organization  
of the United Nations  
Rome, Italy



Thinking of the  
environmental  
footprint

Together against  
wasting resources,  
think twice before printing



**SUSTAINABLE  
DEVELOPMENT  
GOALS**



Department  
for Environment  
Food & Rural Affairs



Biotechnology and  
Biological Sciences  
Research Council